


1				
REV.	MODIFY CONTENT			DATE
DWN	Bauing	UNIT	mm	CUST. MODEL
CKD		SCALE		MODEL ME-1076/C(6.35)BR1G
APPD			DATE	FEB-02-05
ALL SHORE INDUSTRIES, INC				NAME ME-1076
				PAGE 1/2



	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
COM	COM	COM	▭	▭	K	K	NC	NC	NC	NC	NC	NC	NC	NC	4DP	4DP	3E	3E	3D	3D
	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
COM	3C	3C	3DP	3DP	2E	2E	2D	2D	2C	2C	2DP	2DP	1E	1E	1D	1D	1C	1C	1B	1B
	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
COM	1A	1A	1F	1F	1G	1G	2B	2B	2A	2A	2F	2F	2G	2G	L	L	3B	3B	3A	3A
	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
COM	3F	3F	3G	3G	NC	NC	NC	NC	NC	NC	NC	NC	NC	NC	LOBAT	▭	▭	▭	COM	COM

- NOTE: 1. TN TYPE
 2. DRIVING METHOD: STATIC
 3. OPERATING VOLTAGE: 3.0 V
 4. OPERATING TEMP: -0 ~ 50°C
 5. STORAGE TEMP: -10 ~ 60°C
 6. VIEWING DIRECTION: 6:00
 7. POLARIZER MODE: REFLECTIVE POSITIVE
 8. CONNECTION: PIN TYPE
 9. DIMENSIONS ARE IN MILLIMETERS AND UNLESS OTHERWISE NOTED ARE ±0.20MM

1						
REV.	MODIFY CONTENT			DATE		
DWN	Bauing	UNIT	mm	CUST. MODEL		
CKD		SCALE		MODEL	ME-1076/C(6.35)BR1G	
APPD		⊕		DATE	FEB-02-05	
ALL SHORE INDUSTRIES, INC					NAME	ME-1076
					PAGE	1/2